Åkesson B: see Hagmar et al, p 217
Abell MT: see Kennedy at al, suppl 2 p 63
Äärimaa M: see Olkinuora et al, suppl 2 p 110
Ahlbom A: see Hammar N, et al, p 178
Aitio A: Biological monitoring at the Institute of Occupational Health, suppl 2 p 69
Alexandersson R: see Ulfvarson et al, p 376
Alfredsson L: see Hammar N, et al, p 178
Amsel J: see Wong et al, p 133
Andersen A: see Karlehagen et al, p 26
Andersen A: see Boffetta et al, p 279
Anttila A: see Lindbohm et al, suppl 2 p 37
Araki S: see Kawakami et al, p 195
Arezzo JC: see Davis-King et al, suppl 2 p 24
Askergren A: see Tornling et al, p 97
Asp S: see Olkinuora et al, suppl 2 p 110
Axelson O: see Wingren & Axelson, p 85
Ayme S: see Cordier et al, p 11
Baalsrud KJ: see Leira & Baalsrud, p 410
Bailey WJ: see Wong et al, p 133
Baker F: see Henningsen et al, suppl 2 p 133
Baker G: see Nurminen et al, p 393
Bakke P, et al: Occupational airborne exposure of the general population of a Norwegian county, p 44
Baron SL, Habes D: Occupational musculoskeletal disorders among supermarket cashiers, suppl 2 p 127
Baste V: see Bakke P, et al, p 44
Beer-Porizek V: see Minder & Beer-Porizek, suppl 3
Belinky BR: see Decker JA, et al, suppl 2 p 100
Belli S, et al: Mortality study of workers employed by the Italian National Institute of Health, 1960—1989, p 64
Bensryd I: see Tell et al, p 113
Bergström B: see Ulfvarson et al, p 376
Bernard A: see Vyskocil et al, p 252
Bernard B, et al: Psychosocial and work organization risk factors for cumulative trauma disorders in the hands and wrists of newspaper employees , suppl p 119
Bertazzi PA: see Boffetta et al, p 279
Blair A, et al: Clues to cancer etiology from studies of farmers, p 209
Blair A: see Vineis & Blair, p 273
Bledsoe TA: see Lewis et al, suppl 2 p 72
Blondet M: see Pietri et al, p 52
Bloom TF: see Stayner et al, p 34
Bodner KM: see Bond et al, p 145
Boeniger M: see Stayner et al, p 34
Boffetta P, et al: Lung cancer mortality among workers in the European production of man-made mineral fibers — a Poisson regression analysis, p 279
Boitel L: see Pietri et al, p 52
Bond GG, et al: Mortality among workers engaged in the development or manufacture of styrene-based products — an update, p 145
Bonde JPE, et al: Adverse pregnancy outcome and childhood malignancy with reference to paternal welding exposure, p 169
Bourgine M: see Messing et al, p 320
Brandt LPA, Nielsen CV: Fecundity and the use of video display terminals, p 298
Brandt LPA: see Nielsen & Brandt, p 346
Brandt-Rauf PW: Oncogenes and oncoproteins in occupational carcinogenesis, suppl 1 p 27
Brandt-Rauf PW: The molecular epidemiology of oncoproteins, suppl 1 p 46
Brown DP: Mortality of workers employed at organochlorine pesticide manufacturing plants — an update, p 155
Brown KK: see Stettler et al, suppl 2 p 78
Brown KK: see Ruder et al, suppl 2 p 82
Bryant CJ, et al: Evaluative research and methods development for the assessment of training effectiveness in occupational respiratory protection, suppl 2 p 66
Burch JD: see Soskolne et al, p 225
Burdorf A: Exposure assessment of risk factors for disorders of the back in occupational epidemiology, p 1
Burdorf A: Sources of variance in exposure to postural load on the back in occupational groups, p 361
Chang-Claude J: see Boffetta et al, p 279
Chastang J-F: see Pietri et al, p 52
Cheever KL: see Stettler et al, suppl 2 p 78
Chettle DR: see Tell et al, p 113
Christensen JM: see Prescott et al, p 101
Clark NJ: see Decker et al, suppl 2 p 100
Coggon D: see Croft et al, p 59
Cole HP: see Bryant et al, suppl 2 p 66
Colligan MJ: see Bryant et al, suppl 2 p 66
Colligan MJ: see Rosa & Colligan, suppl 2 p 113
Comba P: see Belli et al, p 64
Cook RR: see Bond et al, p 145
Cooper C: see Croft et al, p 59
Cordier S, et al: Maternal occupational exposure and congenital malformations, p 11
Corvalan C: see Nurminen et al, p 393
Croft P, et al: Osteoarthritis of the hip and occupational activity
Dahlqvist M: see Ulfvarson et al, p 376
Dale LG: see Leira et al, p 68
Dankovic D: see Stettler et al, suppl 2 p 78
Dannenberg AL: see Stayner et al, p 34
Davis-King KE, et al: Reference values for amplitudes and conduction velocities obtained from a cohort of middle-aged and retired workers, suppl 2 p 24
De Santis M: see Belli et al, p 64
DeBord DG: see Stettler et al, suppl 2 p 78
Decker JA, et al: Occupational exposures to aerosolized pharmaceuticals and control strategies, suppl 2 p 100
Deitchman S: see Decker JA, et al, suppl 2 p 100
Delpizzo V: An apparently incongruous exposure-response relationship resulting from the use of job description to assess magnetic field exposure, p 242
Dewar R: see Soskolne et al, p 225
van Dijk FJH: see de Kort et al, p 246
Douglas C: see Henningsen et al, suppl 2 p 133
Doyle GT: see Putz-Anderson et al, suppl 2 p 123
Driscoll TR: see Harvey-Sutton et al, p 293
Edling C: Book review of *Occupational cancer epidemiology*, p 205
Edling C: Book review of *Introduction to occupational epidemiology*, 411
Eisen EA: see Tolbert et al, p 351
Ekholm U: see Ulfvarson et al, p 376
Emminger S: see Vyskocil et al, p 252
Ettlerova E: see Vyskocil et al, p 252
Faber J: see Prescott et al, p 101
Ferro G: see Boffetta et al, p 279
Feyer A-M, et al: Role of psychosocial risk factors in work-related low-back pain, p 368
Fine LJ: see Mastin et al, suppl p 85
Fine LJ: see Bernard et al, suppl 2 p 119
Fingerhut MA: see Ruder et al, suppl 2 p 82
Fischbach TJ: see McGlothlin et al, suppl 2 p 103
Fishbein L: Exposure from occupational versus other sources, suppl 1 p 5
Fishbein L: Technological changes in cancer prevention, suppl 1 p 97
Fletcher AC: see Boffetta et al, p 279
Foppa I, Minder CE: Oral, pharyngeal and laryngeal cancer as a cause of death among Swiss cooks, p 287
Fosbroke DE: see Helmkamp et al, suppl 2 p 55
Fraumeni JF Jr: see Blair et al, p 209
Frentzel-Beyme R: see Boffetta et al, p 279
Frommer MS: see Harvey-Sutton et al, p 293
Fung K: see Suarez-Almazor et al, p 233
Gardner MJ: see Boffetta et al, p 279
Goujard J: see Cordier et al, p 11
Grajewski BA, Schnorr TM: Epidemiologic studies of adverse reproductive outcomes in working populations, suppl 2 p 40
Granfors: see Seuri & Granfors, p 128
Grignoli M: see Belli et al, p 64
Guggenbühl U: see Hinnen et al, p 186
Guilmette R: see Smith et al, suppl 2 p 106
Gulsvik A: see Bakke P, et al, p 44
Ha M-C: see Cordier et al, p 11
Haartz JC: see Norppa & Haartz, suppl 2
Habes D: see Baron & Habes, suppl 2 p 127
Hänninen K: see Kivimäki et al, p 310
Härmä MI, et al: Relation of age to circadian adjustment to night work, suppl 2 p 116
Hagberg M, et al: Impact of occupations and job tasks on the prevalence of carpal tunnel syndrome, p 337

Hagberg M: see Sundelin & Hagberg, p 262
Hagmar L, et al: Cancer incidence and mortality among Swedish Baltic Sea fishermen, p 217
Hakola T: see Härmä et al, suppl 2 p 116
Hales TR: see Bernard et al, suppl 2 p 119
Hales TR: see Putz-Anderson et al, suppl 2 p 123
Hallin N: see Tornling et al, p 97
Hallock MF: see Tolbert et al, p 351
Halperin W: see Stayner et al, p 34
Hammar N, et al: Differences in the incidence of myocardial infarction among occupational groups, p 178
Hanoa R: see Bakke P, et al, p 44
Hansen ES: Author's reply (letter to the Editor), p 135
Hansen KS: see Bonde JPE, et al, p 169
Haratani T: see Kawakami et al, p 195
Hard DL, et al: A model agricultural health promotion systems program for building state-based agricultural safety and health infrastructures, suppl 2 p 46
Hard DL: see Jenkins & Hard, suppl 2 p 49
Haring Sweeney M: see Davis-King et al, suppl 2 p 24
Harju A: see Kalimo et al, suppl 2 p 130
Harrison JE: see Harvey-Sutton et al, p 293
Harvey-Sutton PL, et al: Work-related electrical fatalities in Australia, 1982—1984, p 293
Healy S: see Feyer et al, p 368
Hegedüs L: see Prescott et al, p 101
Heikkilä P: see Pekari K, et al, p 317
Heineman EE: see Blair et al, p 209
Helmkamp JC, et al: Occupational fatalities in the fishing, logging and air transport industries in Alaska, 1991, suppl 2 p 55
Hemminki K, ed: Occupational cancer and carcinogenesis, suppl 1
Hemminki K: Use of molecular biology techniques in cancer epidemiology, suppl 1 p 38
Hemminki K: Epilogue, suppl 1 p 116
Hemminki K: see Szyfter & Hemminki, suppl 1 p 22
Hemminki K: see Lindbohm et al, suppl 2 p 37
Hendricks SA: see Landen & Hendricks, suppl 2 p 18
Henningsen GM, et al: Measurement of salivary immunoglobulin A as an immunologic biomarker of job stress, suppl 2 p 133
Henningsen GM: see Mastin et al, suppl p 85
Hernberg S: Book review of *Year book of occupational and environmental medicine 1991*, p 71
Hernberg S: see Kauppinen et al, p 18
Heseltine E: see Vainio et al, p 329
Hinnen U, et al: Design of check-out systems including laser scanners for sitting work posture, p 186
Hoar Zahm S: see Blair et al, p 209
Hoel D: see Huff & Hoel, suppl 1 p 83
Hogstedt C: see Tornling et al, p 97
Holmström M: see Wilhelmsson & Holmström, p 403
Howe GR: see Soskolne et al, p 225
Hudson CA: see Martin et al, suppl 2 p 94
Huff J: Design strategies, results and evaluations of long-term chemical carcinogenesis studies, suppl 1 p 31
Huff J: A historical perspective on the classification of chemical carcinogens developed and used by the National Toxicology Program during 1983—1992, suppl 1 p 74
Huff J, Hoel D: Perspective and overview of the concepts and value of hazard identification as the initial phase of risk assessment for cancer and human health, suppl 1 p 83
Hughes RT: see McGlothlin et al, suppl 2 p 103
Hurrell JJ Jr, Lindström K: Comparison of job demands, control and psychosomatic complaints at different career stages of managers in Finland and the United States, suppl 2 p 11
Hurrell JJ Jr: see Lindström & Hurrell, suppl 2 p 14
Hurrell JJ Jr: see Henningsen et al, suppl 2 p 133
Husman KRH: see Notkola et al, suppl 2 p 51
Husman KRH: see Manninen et al, suppl 2 p 75
Huuhtanen P: Stress and change among bank directors and supervisors , suppl 2 p 121
Huuhtanen P, Piispa M: Work and retirement attitudes of 50- to 64-year-old people at work and on pension, suppl 2 p 21
Huuskonen MS: Screening for occupational cancer, suppl p 110
Huvinen MT: Workplace cancer prevention, suppl 1 p 115
Ilmarinen J, Tuomi K: Work ability of aging workers, suppl 2 p 8
Ishida G, et al: Sympathetic nerve activity in the skin in relation to vibration-induced white finger, p 124
Jenkins EL, Hard DL: Implications for the use of E codes of the International Classification of Diseases and narrative data in identifying tractor-related deaths in agriculture, United States, 1980—1986, suppl 2 p 49
Jensen PA: see McGlothlin et al, suppl 2 p 103
Jhangri GS: see Soskolne et al, p 225
Jhangri GS: see Suarez-Almazor et al, p 233
Jones JH: see McGlothlin et al, suppl 2 p 103
Juntunen J: see Olkinuora et al, suppl 2 p 110
Kaivanto K: see Takala et al, p 257
Kaldor JM: Quantitative assessment of human cancer risk, suppl p 90
Kalimo R: Book review of *Work, stress, disease and life expectancy*, p 142
Kalimo R, et al: Work load, psychophysiological strain and coping of innovation project management in industry, suppl 2 p 130
Kaminski M: see Messing et al, p 320
Karlehagen S, et al: Cancer incidence among creosote-exposed workers, p 26
Kauppinen T, et al: Primary liver cancer and occupational exposure, p 18
Kauppinen TP, et al: Magnitude of misclassification bias when using a job-exposure matrix, p 105
Kauttu K: see Olkinuora et al, suppl 2 p 110
Kawakami N, et al: Effects of perceived job stress on depressive symptoms in blue-collar workers of an electrical factory in Japan, p 195
Kelsh M: see Hagberg et al, p 337
Kennedy ER, at al: Development of analytical methods for agricultural chemicals, suppl 2 p 63
Kennedy RD: see Helmkamp et al, suppl 2 p 55
Kesner JS, et al: Power analyses and immunoassays for measuring reproductive hormones in urine to assess female reproductive potential in field studies, suppl 2 p 33
Kivimäki J: Occupationally related ultrasonic findings in carpet and floor layers' knees, p 400
Kivimäki J, et al: Knee disorders in carpet and floor layers and painters, p 310
Knecht EA: see Kesner et al:, suppl 2 p 33
Kokkarinen J, et al: Severe farmer's lung following a workplace challenge, p 327
de Kort WLAM, et al: Agreement on medical fitness for a job, p 246
Kotek TJ: see Liu et al, p 162
Kotimaa K: see Manninen et al, suppl 2 p 75
Krieg EF Jr: see Kesner et al:, suppl 2 p 33
Krivosheyeva LV: see Solionova LG, et al, p 120
Krueger: see Hinnen et al, p 186
Kuorinka I: Book review of *Ergonomics, work and health*, p 412
Kwak E: see Bryant et al, suppl 2 p 66
Kyyrönen P: see Lindbohm et al, suppl 2 p 37
Läubli T: see Hinnen et al, p 186
Laitinen J: see Härmä et al, suppl 2 p 116
Lakhani R:: see Soskolne et al, p 225
Landen DD, Hendricks SA: Estimates from the National Health Interview Survey on occupational injury among older workers in the United States, suppl 2 p 18
Langård S: Proposal for future uses in epidemiology for cohort studies on the prevention of work-related cancer, suppl 1 p 57
Lauwerys R: see Vyskocil et al, p 252
Leclerc A: see Pietri et al, p 52
Lee T-S: see Liu et al, p 162
Leigh J: see Nurminen et al, p 393
Leira HL, et al: Cerebral magnetic resonance imaging and cerebral computerized tomography for patients with solvent-induced encephalopathy, p 68
Leira HL, Baalsrud KJ: Self-injection of fish vaccine can cause anaphylaxis (letter to the Editor), p 410
Leppänen A: Book Review of *Health promotion in the working world*, p 269
Leskinen J: see Kalimo et al, suppl 2 p 130
Lewis DM, et al: Measurement of interleukin 1 in pulmonary reactions induced by agricultural dusts, suppl 2 p 72
Lewis DM: see Olenchock et al, suppl 2 p 58
Lewis DM: see Manninen et al, suppl 2 p 75
Lindbohm M-L, et al: Effects of parental occupational exposure to solvents and lead on spontaneous abortion, suppl 2 p 37
Lindén K: see Hagmar et al, p 217
Lindström K: Work organization and well-being of Finnish health care personnel, suppl 2 p 90

Lindström K, Hurrell JJ Jr: Coping with job stress by managers at different career stages in Finland and the Unites States, suppl 2 p 14
Lindström K: see Hurrelll & Lindström, suppl 2 p 11
Liu Z, et al: Mortality among workers in a thorium-processing plant — a second follow-up, p 162
Louhevaara V; Book review of *Ergonomics, health and safety: perspectives for the nineties*, p 412
Luisto M, Seppäläinen A-M: Tetanus caused by occupational accidents, p 323
Luotamo M: see Pekari K, et al, p 317
Lynge E: Cancer morbidity by occupation, suppl 1 p 50
MacKenzie BA: see Henningsen et al, suppl 2 p 133
Mandryk J: see Feyer et al, p 368
Manninen A, et al: Interleukin 1 and its inhibition in an inflammatory reaction caused by *Aspergillus umbrosus*, suppl 2 p 75
Marbury MC: Relationship of ergonomic stressors to birthweight and gestational age, p 73
Marbury MC: Author's reply (letter to the Editor), p 409
Martin LS, et al: Continued need for strategies to prevent needlestick injuries and occupational exposures to bloodborne pathogens, suppl 2 p 94
Martin LS: see Smith et al, suppl 2 p 106
Masalin K, Murtomaa H: Work-related behavioral and dental risk factors among confectionery workers, p 388
Mastin JP, et al: Use of biomarkers of occupational musculoskeletal disorders in epidemiology and laboratory animal model development, suppl p 85
McGlothlin JD, et al: Control of anesthetic gases in dental operatories, suppl 2 p 103
Messing K, et al: Menstrual-cycle characteristics and work conditions of workers in poultry slaughterhouses and canneries, p 302
Miller AB: see Soskolne et al, p 225
Minder CE, Beer-Porizek V: Cancer mortality of Swiss men by occupation, 1979—1982, suppl 3
Minder CE: see Foppa & Minder, p 287
Möller T: see Hagmar et al, p 217
Moneta GB: see Takala et al, p 257
Monson RR: see Tolbert et al, p 351
Morcet J-F: see Pietri et al, p 52
Morgenstern H: see Hagberg et al, p 337
Muggenburg B: see Smith et al, suppl 2 p 106
Mull JC: see Olenchock et al, suppl 2 p 58
Mull JC: see Manninen et al, suppl 2 p 75
Mullan RJ: Health care workers, tuberculosis, and the human immunodeficiency virus epidemic, suppl 2 p 97
Murphy SA: see Olenchock et al, suppl 2 p 58
Murtomaa H: see Masalin & Murtomaa, p 388
Mutanen PO: see Kauppinen et al, p 105
Myers JR: see Hard et al, suppl 2 p 46
Myers ML: see Helmkamp et al, suppl 2 p 55
Myhr G: see Leira et al, p 68
Nakashima K: see Ishida G, et al, p 124
Nasu Y: see Ishida G, et al, p 124
Netterstrøm B: see Prescott et al, p 101
Nielsen CV, Brandt LPA: Fetal growth, preterm birth and infant mortality in relation to work with video display terminals during pregnancy, p 346
Nielsen CV: see Brandt & Nielsen, p 298
Nilsen G: see Leira et al, p 68
Nilsson A: see Hagmar et al, p 217
Nilsson U: see Tell et al, p 113
Nordberg G: Book review of *Trace elements in health and disease*, p 205
Norppa H, Haartz JC, ed: Occupational epidemics in the 1990s: fifth US-Finnish joint symposium on occupational safety and health, Cincinnati, Ohio, 9—12 June 1992, suppl 2
Norrving B: see Hagmar et al, p 217
Notkola V, et al: Morbidity and risk factors of Finnish farmers, suppl 2 p 51
Nurminen M, et al: Prediction of silicosis and lung cancer in the Australian labor force exposed to silica, p 393
Nurminen T: On classifying reproductive studies according to study design and using odds ratios in the presentation of results (letter to the Editor), p 409
Nykyri E: see Kalimo et al, suppl 2 p 130
Ohlson C-G: see Karlehagen et al, p 26
Olenchock SA, et al: Endotoxin and complement activation in an analysis of environmental dusts from a horse barn, suppl 2 p 58
Olenchock SA: see Manninen et al, suppl 2 p 75
Olkinuora M, et al: Stress symptoms, burnout and suicidal thoughts of Finnish physicians
Olsen JH: see Bonde JPE, et al, p 169
Olsen JH: see Boffetta et al, p 279
Olsen GW: see Bond et al, p 145
Ott MG: see Teta et al, p 90
Palotie A: see Pekari K, et al, p 317
Pearce NE: see Blair et al, p 209
Pekari K, et al: Biological monitoring of occupational exposure to low levels of benzene, p 317
Pelkonen O: Carcinogen metabolism and individual susceptibility, suppl 1 p 17
Perlman GD: see Teta et al, p 90
Petersen MR: see Bernard et al, suppl 2 p 119
Phipps FC: see Henningsen et al, suppl 2 p 133
Pietri F, et al: Low-back pain in commercial travelers
Piispa M: see Huuhtanen & Piispa, suppl 2 p 21
Pizatella TJ: see Hard et al, suppl 2 p 46
Plotnikov JV: see Solionova LG, et al, p 120
Post Uiterweer HW: see de Kort et al, p 246
Pothier LJ: see Tolbert et al, p 351
Prescott E, et al: Effect of occupational exposure to cobalt blue dyes on the thyroid volume and function of female plate painters, p 101
Putz-Anderson V, et al: Ergonomic analysis to characterize task constraint and repetitiveness as risk factors for musculoskeletal disorders in telecommunication office work, suppl 2 p 123
Rantanen J: Priority setting and evaluation as tools for planning research strategy, suppl 2 p 5
Reeve G: see Stayner et al, p 34
Reynolds J: see Kennedy at al, suppl 2 p 63
Riala R: see Kauppinen et al, p 18
Riihimäki H: see Kivimäki et al, p 310
Riihimäki V: see Pekari K, et al, p 317
Roberts DR: see Ruder et al, suppl 2 p 82
Robertson SK: see Henningsen et al, suppl 2 p 133
Rosa RR, Colligan MJ: Application of a portable test battery in the assessment of fatigue in laboratory and worksite studies of 12-hour shifts, suppl 2 p 113
Ruch WE: see Bryant et al, suppl 2 p 66
Ruder AM, et al: Response of the National Institute for Occupational Safety and Health to an occupational health risk from exposure to *ortho*-toluidine and aniline, suppl 2 p 82
Saarenmaa K: see Takala et al, p 257
Sallmén M: see Lindbohm et al, suppl 2 p 37
Saracci R: see Boffetta et al, p 279
Sasco AJ: see Belli et al, p 64
Sato T: see Ishida G, et al, p 124
Saurel-Cubizolles M-J: see Messing et al, p 320
Sauter SL: see Bernard et al, suppl 2 p 119
Savage RE: see Stettler et al, suppl 2 p 78
Schnorr TM: see Grajewski & Schnorr, suppl 2 p 40
Schrader SM: Data gaps and new methodologies in the assessment of male fecundity in occupational field studies, suppl 2 p 30
Schütz A: see Tell et al, p 113
Schütz A: see Hagmar et al, p 217
Scott MC: see Tell et al, p 113
Scullman J: see Ulfvarson et al, p 376
Seitsamo J: see Kauppinen et al, p 18
Seitsamo JT: see Kauppinen et al, p 105
Seitz TA: see Decker JA, et al, suppl 2 p 100
Seppäläinen A-M: see Luisto & Seppäläinen, p 317
Seuri M, Granfors K: Antibodies against *Yersinia* among farmers and slaughterhouse workers, p 128
Shahan TA: see Siegel et al suppl 2 p 60
Shults RA: see Decker JA, et al, suppl 2 p 100
Siegel PD, et al: Analysis of environmental histamine from agricultural dust, suppl 2 p 60
Siemiatycki J: see Soskolne et al, p 225
de Silva I: see Feyer et al, p 368
Simonato L: see Boffetta et al, p 279
Skerfving S: see Tell et al, p 113
Slangen JJM: see Swaen et al, p 201
Smedberg M: see Hammar N, et al, p 178
Smejkalova J: see Vyskocil et al, p 252
Smith J, et al: Study design for the characterization of aerosols during surgical procedures, suppl 2 p 106
Smith TJ: see Tolbert et al, p 351
Smulevich VB: see Solionova LG, et al, p 120
Solionova LG, et al: Carcinogens in rubber production in the Soviet Union, p 120

Somervaille LJ: see Tell et al, p 113
Sorenson WG: see Siegel et al, suppl 2 p 60
Sorenson WG: see Manninen et al, suppl 2 p 75
Soskolne CL, et al: Occupational exposure to sulfuric acid in southern Ontario, Canada, in association with laryngeal cancer, p 225
Soskolne CL: see Suarez-Almazor et al, p 233
Stasny A: see Lewis et al, suppl 2 p 72
Stayner LT, et al: Cardiovascular mortality among munitions workers exposed to nitroglycerin and dinitrotoluene, p 34
Steenland K: see Davis-King et al, suppl 2 p 24
Stettler LE, et al: Biological monitoring for occupational exposures to *ortho*-toluidine and aniline, suppl 2 p 78
Stettler LE: see Ruder et al, suppl 2 p 82
Stout NA: Occupational injuries and fatalities among health care workers in the United States, suppl 2 p 88
Stout NA: see Hard et al, suppl 2 p 46
Strid L: see Olkinuora et al, suppl 2 p 110
Strine PW: see Martin et al, suppl 2 p 94
Strine PW: see Smith et al, suppl 2 p 106
Sturmans F: see Swaen et al, p 201
Suadicani P: see Prescott et al, p 101
Suarez-Almazor ME, et al: Empirical assessment of the effect of different summary worklife exposure measures on the estimation of risk in case-referent studies of occupational cancer, p 233
Sundelin G, Hagberg M: Electromyographic signs of shoulder muscle fatigue in repetitive arm work paced by the Methods-Time Measurement system, p 262
Suruda AJ: Work-related deaths in construction painting, p 30
Susitaival P: see Notkola et al, suppl 2 p 51
Swaen GMH, et al: Cancer mortality of a cohort of licensed herbicide applicators, p 201
Szyfter K, Hemminki K: Analysis of deoxyribonucleic acid adducts in workers, suppl p 22
Taattola K: see Notkola et al, suppl 2 p 51
Takahashi K: see Ishida G, et al, p 124
Takala E-P, et al: Seasonal variation in neck and shoulder symptoms, p 257
Taskinen H: Prevention of reproductive health hazards at work, suppl 2 p 27
Taskinen H: see Lindbohm et al, suppl 2 p 37
Teass AW: see Stettler et al, suppl 2 p 78
Teass AW: see Ruder et al, suppl 2 p 82
Tejral J: see Vyskocil et al, p 252
Tell I, et al: Chelated lead and bone lead, p 113
Teppo L: see Boffetta et al, p 279
Terho EO: see Kokkarinen et al, p 327
Terho EO: see Manninen et al, suppl 2 p 75 suppl 2
Teta MJ, et al: Mortality study of ethanol and isopropanol production workers at two facilities, p 90
Thun M: see Stayner et al, p 34
Tolbert PE, et al: Mortality studies of machining-fluid exposure in the automobile industry: II. risks associated with specific fluid types, p 351
Tollqvist J: see Tornling et al, p 97
Tornling G, et al: Does long-term concrete work cause silicosis?, p 97
Tucker SP: see Decker JA, et al, suppl 2 p 100
Tukiainen H: see Kokkarinen et al, p 327
Tuomi K: see Ilmarinen & Tuomi, suppl 2 p 8
Turbin EV: see Solionova LG, et al, p 120
Ulfvarson U, et al: Temporary health effects from exposure to water-borne paints, p 376
Umberger GH: see Bryant et al, suppl 2 p 66
Vainio H, et al: Meeting of the IARC working group on the evaluation of carcinogenic risks to humans from occupational exposures to mists and vapors from strong inorganic acids and other industrial chemicals, p 329
Vainio H, Wilbourn J: Identification of carcinogens within the IARC monograph program, suppl 1 p 64
Vainiotalo S: see Pekari K, et al, p 317
Viikari-Juntura E: see Takala et al, p 257
Vincentova M: see Vyskocil et al, p 252
Vineis P, Blair A: Problems and perspectives in the identification of new occupational carcinogens, p 273
van Vliet C: see Swaen et al, p 201
Vyskocil A, et al: Lack of renal changes in stainless steel welders exposed to chromium and nickel, p 252
Ward EM: see Stettler et al, suppl 2 p 78
Ward EM: see Ruder et al, suppl 2 p 82
Weigel WW: see Stettler et al, suppl 2 p 78
Wennberg A: Book review of *Foundations of environmental and occupational neurotoxicology*, p 413
Wess JA: Reproductive toxicity of ethylene glycol monomethyl ether, ethylene glycol monoethyl ether and their acetates, suppl 2 p 43
Westerholm P: see Boffetta et al, p 279
Whitmer M: see Manninen et al, suppl 2 p 75
Wickham C: see Croft et al, p 59
Wickman D: see Kennedy at al, suppl 2 p 63
Wilbourn J: see Vainio et al, p 329
Wilbourn J: see Vainio & Wilbourn, suppl 1 p 64
Wilhelmsson B, Holmström M: Possible mechanisms of formaldehyde-induced discomfort in the upper airways, p 403
Wille KK: see Davis-King et al, suppl 2 p 24
Williamson A: see Feyer et al, p 368
Wingren G, Axelson O: Cluster of brain cancers spuriously suggesting occupational risk among glassworkers, p 85
Winter P: see Boffetta et al, p 279
Wong O, et al: Cancer mortality and incidence in mastic asphalt workers (letter to the Editor), p 133
Wright DM: see Kesner et al:, suppl 2 p 33
Yeh H-C: see Smith et al, suppl 2 p 106
Zocchetti C: see Boffetta et al, p 279

1,3-butadiene, 145, 329, suppl 1 p 5
2,3,7,8-tetrachlorodibenzo-p-dioxin, suppl 1 p 5
accuracy, suppl 2 p 63
acetylation polymorphism, suppl 1 p 17
acrylonitrile, 145
adducts, suppl 1 p 22
advantages of hazard identification, suppl 1 p 83
adverse occupational effects, 73
adverse pregnancy outcome, 169
adverse reproductive outcome, suppl 2 p 40
aerosolized pharmaceuticals, suppl 2 p 100
aerosols, suppl 2 p 106
aflatoxins, 18
age, suppl 2 p 116
aging workers, suppl 2 p 8
agreement, 246
agricultural dust, suppl 2 p 60
agricultural dusts, suppl 2 p 72
agricultural chemicals, suppl 2 p 63
agricultural health promotion systems program, suppl 2 p 46
agricultural safety and health infrastructures, suppl 2 p 46
agricultural workers, 128
agriculture, 209, 323, suppl 2 p 49
air transport, suppl 2 p 55
Alaska, suppl 2 p 55
alcohol, 225
aldrin, 155
allergy, 403
alveolar macrophages, suppl 2 p 75
amenorrhea, 302
amplitudes, suppl 2 p 24
analysis, suppl 1 p 22, suppl 2 p 58, suppl 2 p 60
analytical methods, suppl 2 p 63
anaphylaxis, 410
anesthetic gases, suppl 2 p 103
aniline, suppl 2 p 78, suppl 2 p 82
animal bioassays, suppl 1 p 116
animal cancer bioassays, suppl 1 p 83
animal to human extrapolation, suppl 1 p 83
antibodies, 128
application, suppl 2 p 113
aryl hydrocarbon hydroxylase, suppl 1 p 17
asbestos, 225, suppl 1 p 110
asbestos program in Finland, suppl 1 p 110
Aspergillus umbrosus, suppl 2 p 75
assessment, 242, suppl 2 p 30, suppl 2 p 33, suppl 2 p 66, suppl 2 p 113
assessment of relevance, suppl 2 p 5
association, 225
atopy, 403
attributable risks, 273
Australia, 293, 393
automation, suppl 1 p 97
automobile industry, 351
B6°C3F1 mice, suppl 1 p 31
back, 361
back disorders, 1
Baltic Sea fishermen, 217
bank directors, suppl 2 p 121
bank supervisors, suppl 2 p 121
bank teller, 257
beat knee, 400
behavioral risk factors, 388
benzene, 145, suppl 1 p 5
benzene exposure, 317
benzo[a]pyrene, 120, suppl 1 p 22
between-worker variance, 361
binding to deoxyribonucleic acid, suppl 1 p 22
bioassay, suppl 2 p 75
biological monitoring, 317, suppl 1 p 115, suppl 2 p 69, suppl 2 p 78
biomarker, suppl 2 p 133
biomarkers, 273, suppl 1 p 46, suppl 2 p 85
biomarkers of internal dose, suppl 2 p 78
birth characteristics, 169
birth defect, 169
birthweight, 73
bis-(2-ethylhexyl) phthalate, suppl 1 p 5
blood, 113, 317
blood pressure, 376
bloodborne pathogens, suppl 2 p 94
blue-collar workers, 195
bone lead, 113
brain, 64
brain cancer, 85
breast, 64
bronchial provocation tests, 327
buccal cavity, 90
burnout, suppl 2 p 110
calcaneus, 113
calcium disodium edetate, 113
Canada, 225
cancer, 85, 145, 155, 162, suppl 1 p 46, suppl 1 p 64, suppl 1 p 83
cancer epidemiology, suppl 1 p 38
cancer etiology, 209
cancer incidence, 26, 133, 135, 217
cancer morbidity, suppl 1 p 50
cancer mortality, 133, 135, 201, 217, suppl 1 p 50, suppl 3
cancer prevention, suppl 1 p 97, suppl 1 p 115
cancer research, suppl 1 p 116
cancer risk, 64
cancer screening, suppl 1 p 57
canneries, 302
carcinogen metabolism, suppl 1 p 17
carcinogenesis, suppl 1 p 31, suppl 1 p 83
carcinogenesis studies, suppl 1 p 31
carcinogenic risks, 329
carcinogens, 120, suppl 1 p 64
cardiovascular mortality, 34
career stages, suppl 2 p 11, suppl 2 p 14
carpal tunnel syndrome, 337
carpet and floor layers, 310, 400
carrying loads, 52
case report, 327
case-base study, 346
case-control study, 18, 59, 225, 233, 178
case-referent study, 18, 59, 225, 233, 178
cashiers, 186
categories of chemical carcinogens, suppl 1 p 74
causality, 242
cause of death, 287
cerebral computerized tomography, 68
cerebral magnetic resonance imaging, 68
cerebrovascular disease, 34
cerebrovascular diseases, 217
cervicobrachial disorders, 257
change, suppl 2 p 121
characterization, suppl 2 p 106, suppl 2 p 123
check-out systems, 186
chelated lead, 113
chemical, suppl 1 p 31
chemical carcinogenicity experiments, suppl 1 p 31
chemical carcinogens, suppl 1 p 74
chemical exposures, suppl 2 p 69
chemicals, suppl 1 p 83
chest radiograph, 97
childhood malignancy, 169
chlordane, 155
chromium exposure, 252
circadian adjustment, suppl 2 p 116
classification, 408, 409, suppl 1 p 74
cleaning work, 11
clerical workers, 18
clinical examination, 68
cluster, 85
cobalt blue dye, 101
cohort, suppl 2 p 24
cohort study, 26, 351
cohort studies, suppl 1 p 57
cold exposure, 302
combined alcohol and tobacco consumption, 287
commercial travelers, 52
comparison, suppl 2 p 11
complement activation, suppl 2 p 58
concepts, suppl 1 p 83
concrete work, 97
conduction velocities, suppl 2 p 24
confectionery workers, 388
congenital malformation, 11, 169
constitutional factors, suppl 1 p 38
construction work, 97
construction painting, 30
control, suppl 2 p 11, suppl 2 p 103
control strategies, suppl 2 p 100
cooks, 287
cooperation, suppl 1 p 115
coping, suppl 2 p 14, suppl 2 p 130
creosote-exposed workers, 26
cross-sectional study, 101
cumulative trauma disorders, suppl 2 p 119
cutting oils, 351
cytochrome P450, suppl 1 p 17
data gaps, suppl 2 p 30
debrisoquine/sparteine oxidation polymorphism, suppl 1 p 17
Denmark, 101, 169, 346
dental caries, 388
dental health behavior, 388
dental operatories, suppl 2 p 103
dental risk factors, 388
deoxyribonucleic acid adducts, suppl 1 p 22, suppl 1 p 38
depression, 195
depressive symptoms, 195
design, 186
design strategies, suppl 1 p 31
desorption efficiency, suppl 2 p 63
development, suppl 2 p 63, suppl 2 p 66, suppl 2, p 85
developmental effects, suppl 2 p 43
diagnostic procedure, 68
dichlorodiphenyltrichloroethane, 155
dieldrin, 155
diet, 388
diethyl sulfate, 90
digestive anomalies,11
diisopropyl sulfate, 90
dinitrotoluene exposure, 34
dioxins, suppl 1 p 5
disability, 368
disability pension, suppl 2 p 8
discomfort, 403
disease risk,
DNA adducts, suppl 1 p 22, suppl 1 p 38
DNT, 34
dose-response models, suppl 1 p 83
driving, 52
E codes, suppl 2 p 49
effect, 101, 195, 233, suppl 2 p 37
EGEE, suppl 2 p 43
EGEEA, suppl 2 p 43
EGME, suppl 2 p 43
EGMEA, suppl 2 p 43
electrical factory, 195
electrical fatalities, 293
electrocution, 293

electromagnetic fields, suppl 1 p 5
electromyographic signs, 262
electrophysiological measurements, suppl 2 p 24
elimination, 317
empirical assessment, 233
endotoxin activation, suppl 2 p 58
entrapment, 337
environmental dusts, suppl 2 p 58
environmental histamine, suppl 2 p 60
enzymes, 252, suppl 1 p 17
epidemic, suppl 2 p 97
epidemiologic data, suppl 1 p 83
epidemiologic evidence, 73
epidemiologic methods, 393
epidemiologic studies, 85, suppl 1 p 83, suppl 2 p 40
epidemiologic study, 302
epidemiology, 34, 44, 128, 155, 178, 201, 242, 273, 279, 337, suppl 1 p 57, suppl 1 p 116, suppl 2 p 85
epilogue, suppl 1 p 116
ergonomic, 337
ergonomic analysis, suppl 2 p 123
ergonomic stressors, 73
estimates, suppl 2 p 18
estimation, 233
ethanol production, 90
ethylene glycol monoethyl ether, suppl 2 p 43
ethylene glycol monoethyl ether acetate, suppl 2 p 43
ethylene glycol monomethyl ether, suppl 2 p 43
ethylene glycol monomethyl ether acetate, suppl 2 p 43
etiologic hypotheses, suppl 3
etiology, 368
Europe, 279
evaluation, 329, suppl 1 p 74, suppl 2 p 5
evaluations, suppl 1 p 31
evaluative methods, suppl 2 p 66
evaluative research, suppl 2 p 66
experimental studies, suppl 1 p 83
expired air, 317
exposure, 361, 376, suppl 1 p 83, suppl 1 p 115, suppl 2 p 82
exposure-response relationship, 242
exposure assessment, 1
exposure monitoring program, suppl 1 p 115
external cause of death, suppl 2 p 49
extremely low frequency, 242
extrinsic allergic alveolitis, 327
factory workers, 195
farming, 128
farmers, 85, 128, 209, suppl 2 p 51
farmer's lung, 327
fatalities, suppl 2 p 88
fatigue, suppl 2 p 113
fecundity, 298
female plate painters, 101
female reproductive potential, suppl 2 p 33
fetal growth, 346
field samples, suppl 2 p 78
field studies, suppl 2 p 33
finger bone, 113
Finland, 18, 105, 323, 388, suppl 1 p 115, suppl 2 p 11, suppl 2 p 14, suppl 2 p 27, suppl 2 p 51, suppl 2 p 69, suppl 2 p 90, suppl 2 p 110, suppl 2 p 121
Fischer rats, suppl 1 p 31
fish vaccine, 410
fishermen, 217
fishing, suppl 2 p 55
follicle stimulating hormone, suppl 2 p 33
follow-up, 97, 162, 195
forced vital capacity, 376
forestry, 323
formaldehyde, suppl 1 p 5
formaldehyde-induced discomfort, 403
formulation, suppl 1 p 97
foundry workers, suppl 1 p 22
future uses, suppl 1 p 57
general population, 44
genetic damage, suppl 2 p 30
genetic factors, suppl 1 p 38
genotoxicity tests, suppl 1 p 116
gestational age, 73
glass wool, 279
glassworkers, 85
goiter, 101
hand, 337
hands, suppl 2 p 119
hazard identification, suppl 1 p 83
hazardous materials management, suppl 1 p 97
health care personnel, suppl 2 p 90
health care workers, suppl 2 p 88, suppl 2, p 94, suppl 2 p 97
health hazard, suppl 1 p 115
health policy, 246
health surveillance,, suppl 3
heavy lifting, 73
heptachlor, 155
herbicides, 201
hip, 59
historical perspective, suppl 1 p 74
historical perspectives, suppl 2 p 55
horse barn, suppl 2 p 58
human cancer risk, suppl 1 p 83
human health, suppl 1 p 83
human immunodeficiency virus, suppl 2 p 97
humans, suppl 1 p 64
hydrochloric acid, 329
hygienic standards, 393
hyperreactivity, 403
IARC monograph program, suppl 1 p 64
IARC working group, 329
identification, 273, suppl 1 p 64, suppl 2 p 49
identifying chemical carcinogens, suppl 1 p 31, suppl 1 p 83
immunization, 323
immunoassays, suppl 2 p 33
immunoblotting, suppl 1 p 46
immunoglobulin A, suppl 2 p 133
immunohistochemistry, suppl 1 p 46
immunologic biomarker, suppl 2 p 133
immunology, 209
impact, 337
implications, suppl 2 p 49
impregnators, 26
incidence, 52, 178
individual susceptibility, suppl 1 p 17
inducibility, suppl 1 p 17
industrial hygiene, suppl 1 p 97
industry, suppl 2 p 130
infant mortality, 346
inflammatory reaction, suppl 2 p 75
inhibition, suppl 2 p 75
initial phase, suppl 1 p 83
injuries, 30, suppl 2 p 88
injury, 323
innovation project management, suppl 2 p 130
Institute of Occupational Health, suppl 2 p 69
interleukin 1, suppl 2 p 72, suppl 2 p 75
International Agency for Research on Cancer, 329, suppl 1 p 64
International Classification of Diseases, suppl 2 p 49
interobserver variability, 246
intervention, suppl 2 p 90
interview studies, suppl 2 p 40
ischemic heart disease, 34, 217
isopropanol production, 90
isothiazolinones, 376
Italian National Institute of Health, 64
Italy, 64
Japan, 195
job, 246
job demands, suppl 2 p 11
job description, 242
job rotation, 186
job stress, suppl 2 p 14, suppl 2 p 133
job tasks, 337
job-exposure matrix, 18, 105, 233, 225
kappa statistic, 246
key factors in data interpretation, suppl 1 p 74
kinetics, 317
knee arthrosis, 310
knee disorders, 310
kneeling, 310
kneeling work, 400
knees, 400
labor unions, 30
labor force, 393
laboratory animal model, suppl 2 p 85
laboratory studies, suppl 2 p 113
laryngeal cancer, 225, 233, 287, 351
larynx, 90
laser scanners, 186
lead, suppl 2 p 37
legislation, suppl 2 p 27
levels of evidence, suppl 1 p 74
licensed herbicide applicators, 201
limitations of hazard identification, suppl 1 p 83
linked data sets, suppl 3
lip cancer, 26
liver cancer, 155
logging, suppl 2 p 55
longitudinal studies, 195
longitudinal study, 257
long-term, 97
long-term chemical carcinogenesis studies, suppl 1 p 31
long-term chemical carcinogenicity experiments, suppl 1 p 74, suppl 1 p 83
long-term occupational risk, suppl 3
low-back pain, 52, 368
low-level benzene exposure, 317
lung cancer, 351, 393, suppl 1 p 110
lung cancer mortality, 279
lung diseases, 393
lung function, 376
luteinizing hormone, suppl 2 p 33
lymphomas, 64
machining-fluid exposure, 351
magnetic field exposure, 242
male fecundity, suppl 2 p 30
male reproductive studies, suppl 2 p 40
malignant lymphoma, 26
management, suppl 2 p 121, suppl 2 p 130
managers, suppl 2 p 11, suppl 2 p 14
man-made mineral fibers, 279
mastic asphalt workers, 133, 135
maternal occupational exposure, 11
maternity benefits, suppl 2 p 27
mean volume of erythrocytes, 376
measurement, 1, 361, suppl 2 p 33, suppl 2 p 72, suppl 2 p 133
mechanisms, 403
mechanization, suppl 1 p 97
medical fitness, 246
medical work fitness, 246
men, 195, suppl 3
menstrual-cycle characteristics, 302
menstrual disorders, 302
mercury, 217
mesothelioma, suppl 1 p 110
metalworking, 351
Methods-Time-Measurement system, 262
microneurography, 124
microorganisms, suppl 2 p 60
middle-aged workers, suppl 2 p 24
milkmaids, 18
mineral dust, 18
mineral oil, 351
miners, 393
misclassification, 242
misclassification bias, 105
model, suppl 2 p 46
modeling, 393

molecular biology techniques, suppl 1 p 38
molecular epidemiology, suppl 1 p 38, suppl p 46
morbidity, suppl 2 p 51
mortality, 145, 155, 162, suppl 2 p 51
mortality analysis, 287
mortality data quality assessment, suppl 3
mortality studies, 351
mortality study, 64, 90
multiple anomalies, 11
multiple myeloma, 145, 217
multistage models, suppl 1 p 83
munitions workers, 34
musculoskeletal disorders, 186, 257, suppl 2 p 85, suppl 2 p 123, suppl 2 p 127
mutations, suppl 1 p 38
myocardial infarction, 178
n-3 polyunsaturated fatty acids, 217
narrative data, suppl 2 p 49
National Health Interview Survey, suppl 2 p 18
National Institute for Occupational Safety and Health, suppl 2 p 82
National Toxicology Program, suppl 1 p 74
N-nitrosamines, 120
neck, 262
neck symptoms, 257
need, suppl 2 p 94
needlestick injuries, suppl 2 p 94
nephrotoxicity, 252
nerve, 337
neu/c-erbB-2/HER-2, suppl 1 p 27
neuroendocrine system, suppl 2 p 30
neuropathy, 337
new methodologies, suppl 2 p 30
new occupational carcinogens, 273
newspaper employees, suppl 2 p 119
nickel, 252
nickel exposure, 252
night work, suppl 2 p 116
NIOSH, suppl 2 p 82
nitroglycerin exposure, 34
nominator-denominator bias, 287
nonoccupational factors, 302
Nordic criteria, suppl 2 p 27
Norway, 26, 44
nose, 403
numerator-denominator bias, suppl 3
occupation, 64, 293, 302, 337, 393, suppl 1 p 50, suppl 3
occupational, 113, 128
occupational accidents, 323
occupational activity, 59
occupational airborne agents, 44
occupational airborne exposure, 44
occupational cancer, 233, suppl 1 p 110, suppl 3
occupational carcinogenesis, suppl 1 p 27
occupational coding, suppl 3
occupational cohort, 162
occupational disease, 145
occupational diseases, 30, 59, 388, suppl 2 p 51
occupational environment, 52
occupational epidemiology, 1
occupational exposure, 11, 18, 101, 201, 225, 317, 329, suppl 1 p 5, suppl 1 p 22, suppl 2 p 78, suppl 2 p 94, suppl 2 p 100
occupational fatalities, suppl 2 p 55, suppl 2 p 88
occupational field studies, suppl 2 p 30
occupational groups, 85, 178, 361
occupational health, 337
occupational health care, 246
occupational health risk, suppl 2 p 82
occupational histories, 225, 233
occupational injuries, suppl 2 p 88
occupational injury, suppl 2 p 18
occupational mortality, suppl 3
occupational musculoskeletal disorders, suppl 2 p 85, suppl 2 p 127
occupational respiratory protection, suppl 2 p 66
occupational risk, 85
occupational stress, 195
occupational titles, 44
occupationally related ultrasonic findings, 400
odds ratio, 233, 408, 409
office work, suppl 2 p 123
oil mists, 351
older workers, suppl 2 p 18
older people, suppl 2 p 21
oncogenes, suppl 1 p 27, suppl 1 p 38
oncoproteins, suppl 1 p 27, suppl 1 p 46
Ontario, 225
oral cancer, 287
oral clefts, 11
organic solvents, 11, 376
organochlorine pesticide manufacturing, 155
organochlorine pesticides, 155
osteoarthritis, 59
outcome measures, suppl 2 p 40
Ovako working analysis system, 186
overuse injury, 310
overview, suppl 1 p 83
paced work, 262
painters, 310
pancreas, 64
parental occupational exposure, suppl 2 p 37
parity, 298
paternal welding exposure, 169
pattern of causes of death, 287
peak expiratory flow, 376
pension, suppl 2 p 21
perceived job stress, 195
perchlorethylene, suppl 1 p 5
personal interviews, 225
personnel selection, 246
perspective, suppl 1 p 83
perspectives, 273
pesticides, 209
phalanx, 113
pharyngeal cancer, 287
pharynx, 90
phthalate esters, suppl 1 p 5
physical work, 73
physicians, suppl 2 p 110
planning, suppl 2 p 5
plate painting, 101
Poisson regression analysis, 162, 279
polychlorinated biphenyls, 217
polychlorinated dibenzodioxins, suppl 1 p 5
polychlorinated dibenzofurans, 217, suppl 1 p 5
polychlorinated dibenzo p-dioxins, 217, suppl 1 p 5
polycyclic aromatic hydrocarbons, 351
population survey, 44
population-based, 225
porcelain factory, 101
portable test battery, suppl 2 p 113
32P-postlabeling, suppl 1 p 22
postural load, 1, 361
posture, 73
poultry slaughterhouses, 302
power analyses, suppl 2 p 33
precision, suppl 2 p 63
prediction, 393
preemployment medical examination, 246
pregnancy, 73, 346
pregnancy outcome, suppl 2 p 40
premorbid risk indicators, 368
prepatellar bursitis, 400
presentation of results, 408, 409
preservatives, 376
preterm birth, 346
prevalence, 52, 337
prevalence of exposure, 105
prevention, suppl 1 p 57, suppl 1 p 110, suppl 2 p 27, suppl 2 p 94
primary liver cancer, 18
priority setting, suppl 2 p 5
problems, 273
process changes, suppl 1 p 97
product changes, suppl 1 p 97
proposal, suppl 1 p 57, suppl 2 p 27
prospective study, 368
prostatic cancer, 351
protein adducts, suppl 1 p 38
proteins, 252
protocol, suppl 2 p 63
psychological risk factors, suppl 2 p 119
psychological tests, 195
psychophysiological strain, suppl 2 p 130
psychosocial risk factors, 368
psychosomatic complaints, suppl 2 p 11
psychosomatic factors, 52
psychosomatic symptoms, suppl 2 p 14
public health, suppl 1 p 74, suppl 1 p 83
pulmonary reactions, suppl 2 p 72
quality of occupational coding, suppl 3
quantitative assessment, suppl 1 p 90
quartz, 393
questionnaire, 1
radiation, 162
radioimmunoassay, suppl 2 p 60
radon, suppl 1 p 5
random-effects regression, 257
ras, suppl 1 p 27
Raynaud's phenomenon, 124
recall bias, 346
rectal cancer, 351
recycling, suppl 1 p 97
reference values, suppl 2 p 24
register linkage, 85
registers, 178
relationship, 73, 346, suppl 2 p 116
reliability, 1
renal changes, 252
repetitive arm work, 262
repetitive work, 302
repetitive work cycle, 262
repetitiveness, suppl 2 p 123
reproduction, 298
reproductive effects, suppl 2 p 43
reproductive failure, 169
reproductive failures, 346
reproductive health hazards, suppl 2 p 27
reproductive hormones, suppl 2 p 33
reproductive studies, 408, 409
reproductive toxicants, suppl 2 p 27
reproductive toxicity, suppl 2 p 43
research strategy, suppl 2 p 5
research work, 64
respiratory tract, 90
respiratory tract cancer, 233
response, suppl 2 p 82
results, suppl 1 p 31
retired workers, suppl 2 p 24
retirement attitudes, suppl 2 p 21
review, 1, 73, 209, 273, 337
risk, 233, 351, suppl 1 p 64
risk assessment, 393, suppl 1 p 83
risk factors, 1, 59, 388, suppl 2 p 51, suppl 2 p 119, suppl 2 p 123
risk groups, suppl 1 p 57
risk quantification, suppl 1 p 57
risk-determined intervention, suppl 1 p 57
rock wool, 279
role, 368
rubber chemicals, 120
rubber production, 120
safety, 293
saliary immunoglobulin A, suppl 2 p 133
sarcomas, 64

screening, suppl 1 p 110
seasonal variation, 257
secondary data analysis, 225
sedentary work, 257
selection bias, 346
selenium, 217
self-injection, 410
sensitivity, 105
severity of pain, 368
sexual function, suppl 2 p 30
shift work, suppl 2 p 113
shoulder, 262
shoulder muscle fatigue, 262
shoulder symptoms, 257
silica, 18, 97
silica exposure, 393
silicosis, 97, 393
sinus, 90
sitting work posture, 186
skeleton, 113
skin, 124
skin cancer, 26
slag wool, 279
slaughterhouse workers, 128
smoking, 298, 310
solvent-induced encephalopathy, 68
solvents, 30, suppl 2 p 37
sources of variance, 361
Soviet Union, 120
specific fluid types, 351
specificity, 105
spermatozoa, suppl 2 p 30
spontaneous abortion, 169, suppl 2 p 37
sports, 59
spurious, 85
squamous cell cancer, 217
stainless steel welders, 252
state-based agricultural safety and health infrastructures, suppl 2 p 46
stomach neoplasms, 217
strategies, suppl 2 p 94
stress, suppl 2 p 121
stress symptoms, suppl 2 p 110
strong acid, 90
strong inorganic acids, 329
study design, 408, 409, suppl 2 p 106
styrene, suppl 1 p 5
styrene-based products, 145
suicidal thoughts, suppl 2 p 110
sulfuric acid, 90, 225, 329, 233
summary worklife exposure measures, 233
supermarket, 186
supermarket cashiers, suppl 2 p 127
surgical procedures, suppl 2 p 106
surrogates, 242
Sweden, 26, 85, 217
Switzerland, 287, suppl 3
sympathetic nerve activity, 124
task constraint, suppl 2 p 123
TB, suppl 2 p 97
technological changes, suppl 1 p 97
telecommunications, suppl 2 p 123
temporary health effects, 376
tetanus, 323
tetrachlorobenzene, suppl 1 p 5
The Netherlands, 201, 246
thorium-processing, 162
three-dimensional movement analysis, 186
thyroid function, 101
thyroid hormones, 101
thyroid volume, 101
tibia, 113
time-resolved fluoroimmunometric assays, suppl 2 p 33
time off work, 368
time to pregnancy, 298
tobacco, 225
tobacco use, 302
ortho-toluidine, suppl 2 p 78, suppl 2 p 82
tool, suppl 2 p 5
tractor-related deaths, suppl 2 p 49
training effectiveness, suppl 2 p 66
trend, 242
tuberculosis, suppl 2 p 97
two-year bioassays, suppl 1 p 31
ultrasonic findings, 400
ultrasound, 101
United States, 30, 34, suppl 2 p 11, suppl 2 p 14, suppl 2 p 18, suppl 2 p 46, suppl 2 p 49, suppl 2 p 88
United Kingdom, 105
update, 145, 155
upper airways, 403
urinary biological monitoring, suppl 2 p 78
urinary endocrine biomarkers, suppl 2 p 33
urinary phenol, 317
urination, 376
urine, 113, suppl 2 p 33
use of linked data sets, suppl 3
value, suppl 1 p 83
vibration-induced white finger, 124
video display terminals, 298, 346
volatile carcinogenic compounds, 287
water immersion test, 124
water-borne paints, 376
weak acid, 90
weight of the evidence, suppl 1 p 74
welders, 252
welding fumes, 18
well-being, suppl 2 p 90
within-worker variance, 361
work, suppl 2 p 27
work ability, suppl 2 p 8
work ability index, suppl 2 p 8
work attitudes, suppl 2 p 21
work conditions, 302, suppl 2 p 51
work dissatisfaction, 368
work load, 337, suppl 2 p 130
work organization, 262, suppl 2 p 90
work organization risk factors, suppl 2 p 119
workplace exposure, 120
workplace cancer prevention, suppl 1 p 115
workplace challenge, 327
work processes, 44
working populations, suppl 2 p 40
work-related behavioral risk factors, 388
work-related cancer, suppl 1 p 57
work-related deaths, 30
work-related dental risk factors, 388
work-related disorders, 310
work-related fatalities, 293
work-related low-back pain, 368
work-related morbidity, suppl 2 p 51
worksite studies, suppl 2 p 113
wrist, 337
wrists, suppl 2 p 119
X-ray fluorescence, 113
Yersinia, 128
zoonosis, 128

ACKNOWLEDGMENTS

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 1991 — 31 August 1992.

Torbjörn Åkerstedt
Anders Ahlbom
Antero Aitio
Ib Andersen
John AD Anderson
Mari Antti-Poika
Benedict Armstrong
Olav Axelson
Ulf Bergqvist
Maths Berlin
A Bernard
Pier Alberto Bertazzi
Aaron Blair
Margareta Böttiger
Paolo Boffetta
Alessandro Cavalleri
Nichola Cherry
David Coggon
Pietro Comba
Ronald Dahl
Gunnar Damgaard Nielsen
PO Droz
Christer Edling
Lena Ekenvall
Carl Gustaf Elinder
Peter Elmes
Kerstin Engström
Per-Einar Fjeldstad
Michael Frommer
Gösta Gemne
Philippe Grandjean
Sander Greenland
Michel Guillemin
Per Gustavsson
Helena Hänninen
Mikko Härmä
Mats Hagberg
Hagmar Lars
Matti Hakarna
William Halperin
Rolf Hanoa
Ola Haugejorden
Kari Hemminki
Gunnar Hillerdal
Björn Hilt
Benkt Högstedt
Pekka Huuhtanen
Anders Iregren
Gunn Johansson
Juhani Juntunen
Esko Kalimo
Raija Kalimo
Lasse Kanerva
Timo Kauppinen
Helena Keskinen
Åsa Kilbom
Manolis Kogevinas
Birgitta Kolmodin-Hedman
Olli Korhonen
Riitta-Sisko Koskela
Ilkka Kuorinka
Kari Kurppa
Sverre Langård
Thore J Larsson
Päivi Leino
FDK Liddell
Jyrki Liesivuori
Kari Lindström
Ulf Lundberg
Hans Malker
Per Malmberg
Antti Malmivaara
Esko Matikainen
Karin Mattson
Corbett McDonald
Joseph McLaughlin
Olli Miettinen
Erkki Minni
Giovanni Moneta
Ingrid Nordensson
Henrik Nordman
Hannu Norppa
Tor Norseth
Markku Nurminen
Tuula Nurminen
Lars Ödkvist
Kalevi Österman
Jørn Olsen
Siv Osterman-Golkar
Timo Partanen
Ole F Pederson
Göran Pershagen
Pirkko Pfäffli
Kirsti Pursiainen-Husgafvel
Ilmari Pyykkö
Christoffer Rappe
Antti Reunanen
Hilkka Riihimäki
Vesa Riihimäki
Hannu Rintamäki
Henrik Riska
Harry Roels
Tapio Rytömaa
Jorma Saari
Heikki Saarni
Markku Sallmén
Kai Savolainen
Andrejs Schütz
Barbara Silverstein
Lorenzo Simonato
Staffan Skerfving
Peder Skov
Tage Søndergaard Kristensen
Marja Sorsa
Jukka Starck
Brita Stenius-Aarniala
Eva Støttrup Hansen
William Sunderman
Ole Svane
Lauri Tammilehto
Helena Taskinen
Lyly Teppo
Kari Teramo
Erkki Terho
Töres Theorell
Mirko Tos
Antti Tossavainen
Duncan Troup
Ulf Ulfvarson
Harri Vainio
Katherine M Venables
Tapio Videman
Eira Viikari-Juntura
Gustav Wägar
Stephen Watt
Arne Wennberg
Gustav Wickström
Ewa Wigaeus-Hjelm
Matti Ylikoski